



AZIENDA CERTIFICATA
SECONDO GLI STANDARD
DI QUALITÀ ISO 9001:2015

TECHNICAL DATASHEET

LACTISAN

Zootechny / Teat hygiene

Pre-dipping and post-dipping liquid with lactic acid

Features

Liquid rich in emollients and soothing agents, including lanolin, also ideal for robotic milking systems. The lactic acid contained in its formulation creates a buffer that guarantees an optimal pH to favor the repair of cracks and fissures. Due to its characteristics LACTISAN is particularly suitable for the coldest periods of the year.

Application fields

LACTISAN is employed in the zootechny-veterinary sector.

How to use

As pre-milking: treat directly with a special applicator or spray, wetting all the interested parts that come into contact with the milking unit. Before milking, clean the treated parts well with paper or disposable wipes.

As post-milking: treat directly with a special applicator or spray, wetting all the interested parts that come into contact with the milking unit. Leave to act until the next milking. Before milking, clean the treated parts thoroughly with paper or disposable wipes.

Milking robots: use LACTISAN as it is on the parts to be treated.

Features

Form:	liquid
pH:	4-5
density:	1,01 – 1,05 g/cm ³ @25 °C

Compatibility

Do not mix ACTIVE BASIC with acids or other substances except ACTIVE ACID.

Packaging

Canister: 5 kg 20 kg
Barrel: 200 kg
IBC: 1000 kg

Other information

LACTISAN meets the classification criteria of Regulation (EC) no. 1272/2008 (CLP).

Hazard class and category: Eye damage / Irritation, 1

LACTISAN is not defined as dangerous for the different modes of transport according to the "United Nations Recommendations on the transport of dangerous goods - Standard Regulations".



AZIENDA CERTIFICATA
SECONDO GLI STANDARD
DI QUALITÀ ISO 9001:2015

Attention

This technical data sheet is intended to be purely indicative. For the definition of the correct protocol for the use of Devidet s.r.l. always consult the Devidet s.r.l. Technical Office, expert technicians will be able to provide the most suitable solutions for specific needs. Product for professional use only. We decline all responsibility for damage resulting from improper or unauthorized use of the product. Before use, check that the product matches the type of application required. Before use, consult the safety data sheet or the information sheet.

Revision 9, 10/06/2021

