



AZIENDA CERTIFICATA
SECONDO GLI STANDARD
DI QUALITÀ ISO 9001:2015

TECHNICAL DATASHEET

PULICAR

Zootechny / Cleaning of plants and surfaces

Alkaline liquid detergent with high degreasing power for vehicles.

Features

PULICAR is a detergent developed for the manual and automatic cleaning of trucks, tarpaulin bodies, earth-moving vehicles, agricultural and industrial equipment. PULICAR is indicated also for the cleaning of the engine and mechanical pieces of vehicles.

Application fields

Cleaning of operation vehicles.

How to use

Shake the canister before use PULICAR. Dilute in water following the indication below and apply all over parts to be treated. Let act for few minutes, than rub with pressure washer or high-pressured water jets. Apply on bodywork and tarpaulins starting from the lower to higher side.

Use concentration

Bodywork cleaning:	0,5%-0,6%
Degreasing of engine and mechanical parts:	up to 50%

Features

Form:	liquid - biphasic
pH:	13-14
density:	1,05 – 1,1g/cm ³ @25 °C

Compatibility

Consider the following compatibility (referred to the pure product):

- Compatible materials: AISI 304 stainless steel, AISI 316 stainless steel polyvinyl chloride (PVC), polyethylene (PE) polypropylene (PP) polytetrafluoroethylene (PTFE) ethylene-propylene rubber (EPDM).
- Incompatible materials: strong acids, galvanized steel, aluminum, acetal resin (POM).

If in doubt, test the product on a small portion of the surface not in sight.

Packaging

Canister: 10 kg 20 kg

Other information

PULICAR meets the classification criteria of Regulation (EC) no. 1272/2008 (CLP). For specific information see safety data sheet.

Hazard class and category: Skin corrosion / Irritation, 1

PULICAR is defined as dangerous for the various modes of transport according to the "United Nations Recommendations on the transport of dangerous goods - Standard Regulations". For specific information, see section 14 of the safety data sheet.



AZIENDA CERTIFICATA
SECONDO GLI STANDARD
DI QUALITÀ ISO 9001:2015

Composition (Reg. 648/2004/CE):

>=5% and <15% non-ionic surfactants

<5% EDTA and its salts

Attention

This technical data sheet is intended to be purely indicative. For the definition of the correct protocol for the use of Devidet s.r.l. always consult the Devidet s.r.l. Technical Office, expert technicians will be able to provide the most suitable solutions for specific needs. Product for professional use only. We decline all responsibility for damage resulting from improper or unauthorized use of the product. Before use, check that the product matches the type of application required. Before use, consult the safety data sheet or the information sheet.

Revision 6, 16/01/2021